	Application No.	Applicant(s)
Notice of Allowability	10/556,836 Examiner	DE WINTER ET AL.  Art Unit
, to do or 7 mon damy		
	Jimmy T. Nguyen	3725
The MAILING DATE of this communication appear All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI	(OR REMAINS) CLOSED in this apply or other appropriate communication IGHTS. This application is subject to	olication. If not included will be mailed in due course. THIS
1. This communication is responsive to <u>amendment filed 7/26/07</u> .		
2. The allowed claim(s) is/are 1,4-7,11 and 14.		
<ul> <li>3.</li></ul>	e been received. e been received in Application No becoments have been received in this of this communication to file a reply MENT of this application.  Initted. Note the attached EXAMINER es reason(s) why the oath or declara st be submitted. son's Patent Drawing Review ( PTO	complying with the requirements  'S AMENDMENT or NOTICE OF tion is deficient.  948) attached  Office action of the back) of d).
6. DEPOSIT OF and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT	osit of BIOLOGICAL MATERIAL r FOR THE DEPOSIT OF BIOLOGIC	must be submitted. Note the AL MATERIAL.
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5.  Notice of Informal F	atent Application
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summary	
3. Information Disclosure Statements (PTO/SB/08),	Paper No./Mail Da 7. ⊠ Examiner's Amendr	
Paper No./Mail Date  4.  Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. 🛭 Examiner's Stateme	ent of Reasons for Allowance
of biological Material	9.	Dum
		JIMMY T NGUYEN PRIMARY EXAMINER

Art Unit: 3725

### **EXAMINER'S AMENDMENT**

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Attorney Anastasia Zhadina on October 15, 2007.

The application has been amended as follows:

### In claim 1, line 1:

After the word "surface", the punctuation mark and the words -- , the surface is positioned -- have been added.

### In claim 1, line 13:

The second occurrence "its" has been changed top -- the --.

# In claim 1, the last line:

The words "longitudinal edge of the channel member" have been changed to-- of opposing longitudinal edges of the channel, and the lips extending outwardly from the channel for fitting the support member to the surface --.

Claims 8, 9, 12, and 13 have been cancelled.

Application/Control Number: 10/556,836

Art Unit: 3725

## Specification

The substitute specification filed on July 26, 2007 has been acknowledged and approved. The correction sufficiently overcomes the disclosure objections noted in the previous Office action.

### Allowable Subject Matter

Claims 1, 4-7, 11, and 14 are allowed.

The following is an examiner's statement of reasons for allowance:

Claim 1 is allowable because the art of record, considered alone or in combination, neither anticipates nor renders obvious a compacting mechanism comprising:... the support member comprising a lip extending along each of opposing longitudinal edges of the channel, and the lips extending outwardly from the channel for fitting the support member to the surface, in combination with the rest of the claimed limitations.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jimmy T. Nguyen whose telephone number is (571) 272-4520. The examiner can normally be reached on Monday-Thursday 7:30am-5:00pm with alternating Friday 7:30am-4:00pm.

Application/Control Number: 10/556,836

Art Unit: 3725

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Derris Banks can be reached on (571) 272-4419. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

JTNguyen October 15, 2007

> JIMMY T. NGŮYEN PRIMARY EXAMINER